
# **Radar Speed Signs**

## **OTRAFFICALM**




5676 E Seltice Way Post Falls ID 83854 | 1-855-738-2722 | sales@trafficalm.com www.TraffiCalm.com

#### Superior Engineering / Outstanding Quality

TraffiCalm Systems has been manufacturing ruggedized radar speed signs since 2006. TraffiCalm offers a full suite of radar speed signs, from our Value Series signs to our full-featured iQ Series signs. Many options are available, including AC or solar-powered, permanent-mounted, or battery-powered portable units, and trailer-mounted radar speed signs.

Speeding drivers can be a problem and are almost three times more likely to be involved in fatal or serious injury crashes. The good news is that TraffiCalm® Radar Speed Signs have been proven in multiple third-party studies\*, to be highly effective at reducing average vehicle speeds and slowing speeding drivers, creating safer roadways and communities.



Radar Speed Signs <TRAFFICALM®



#### **Value Series**

Most cost effective traffic calming solution

Easy to use with Hand-Held IR Remote

7-Segment LED module, accurately displays approaching vehicle speeds

Electronic digits will flash when speed limit is exceeded to alert speeding drivers to slow down

Can operate on 2 scheduled events per 24-hour period

Ruggedized metal cabinet for long life



#### **Portable Series**

Available in Value or iQ Series Built-in battery and AC charger adapter included

5-7 day run time on a single charge AC battery charger included

Portable signs are battery powered and lightweight. They are designed to run 5-7 days, be moved around from pole to pole and to be recharged with the built-in AC charger

Ability to be moved to multiple locations: One Mounting Bracket included, additional Mounting Brackets for relocation are available and recommended



#### iQ Series

Full Matrix - ideal for additional speed-triggered messages such as TOO FAST or SLOW DOWN

Highway Gothic font utilized for maximum visibility

Bluetooth equipped and compatible with TC-Speed Connect Software for laptops or Android Devices

Traffic and Speed Data Collection

Almost unlimited program schedules

Connection provisions for beacons, LED rings or other devices

Requires the purchase of either AC Power Supply or Solar Kit




### **TC Mini Trailer**

Available with the iQ1200 or iQ1500 radar speed sign (sold separately) Self-contained compact trailer with 150 Ah batteries and 60 Watt Solar Panel

Solar panel stores flat over the sign for optimal skyward exposure for continuous charging of the battery Includes an R1-1 Speed Limit Sign with changeable number placards Easy to move around

## Radar Speed Signs <TRAFFICALM®

#### TC-Speed Connect® Configuration and Traffic Data Collection Software



|  | ALUE SERIES                |                           | IQ SERIES                                   |                          |                                   |                                   |                                     |                                   |
|--|----------------------------|---------------------------|---|--------------------------|-----------------------------------|-----------------------------------|-------------------------------------|-----------------------------------|
| Features   | 9" Value<br>Sign           | 12" Value<br>Sign         | i0900<br>Sign                               | i01200<br>Sign           | iQ1500ca<br>Sign *                | iQ1500<br>Sign                    | iQ1800<br>Sign                      | iQ1800<br>Jumbo Sign              |
| Optimal Road Speed   | (5-25)                     | (5-35)                    | (5-25)                                      | (5-35)                   | 25-50                             | 25-50                             | (45-90)                             | (45-90)                           |
| Housing Dimensions   | 18"w<br>x 24"h<br>22.7 lbs | 24"w<br>x 30"h<br>28 lbs  | 18"w<br>x 24"h<br>28lbs<br>x 1%"d<br>10 lbs | 24"w<br>x 30"h<br>15 lbs | 30"w<br>x 41"h<br>x 3"d<br>36 lbs | 30"w<br>x 41"h<br>x 3"d<br>36 lbs | 36*w<br>x 48*h<br>x 2 ¾*d<br>60 lbs | 48"w<br>x 60"h<br>x 4"d<br>90 lbs |
| LED Display  | 88                         | 88                        | 88<br>SLOW                                  | 88<br>SLOW               | 88                                | 88<br>SLOU                        | 88<br>SLOW                          | BB<br>SLOU                        |
| Sign Legibility<br>Distance  | 450 ft                     | 600 ft                    | 450 ft                                      | 600 ft                   | 750 ft                            | 750 ft                            | 1000 ft                             | 1000 ft                           |
| Programming Input  | IR<br>remote<br>30' range  | IR<br>remote<br>30' range | Bluetooth<br>300'                           | Bluetooth<br>300'        | Bluetooth<br>300'                 | Bluetooth<br>300'                 | Bluetooth<br>300'                   | Bluetooth<br>300'                 |
| Capable of Collecting<br>Traffic Data<br>(SafetyCalm software included |                            |                           | •   | •                        | •                                 | •                                 | •                                   | •                                 |
| External Ring or<br>Beacon Compatable                                  |                            |                           |   |                          | ٠                                 |                                   |                                     |                                   |
| Programmable<br>Integrated Strobe                                      |                            |                           |   |                          | •                                 |                                   |                                     |                                   |
| Stealth Mode<br>(for collecting data when LED are off)                 |                            |                           | •   |                          | •                                 | •                                 | •                                   | •                                 |
| Power Package  | Solar Kit<br>Included      | Solar Kit<br>Included     | Solar/AC<br>Ready                           | Solar/AC<br>Ready        | Solar/AC<br>Ready                 | Solar/AC<br>Ready                 | Solar/AC<br>Ready                   | Solar/AC<br>Ready                 |
| Modular Design for<br>Easy Service                                     |                            |                           |   |                          | •                                 | ٠                                 | •                                   | ٠                                 |
| <b>Portable Configuration</b>  | ٠                          | •                         | •   |                          |                                   |                                   |                                     |                                   |
| Dolly Configuration  | •                          | •                         | •   |                          |                                   |                                   |                                     |                                   |
| RS-232 Port  |                            |                           | •   | ٠                        | •                                 | •                                 | ٠                                   | ٠                                 |

\*Available Outside of the United States Only

5676 E Seltice Way Post Falls ID 83854 | 1-855-738-2722 | sales@trafficalm.com www.TraffiCalm.com